



REMINGTON

ESTD 1932

spark  
by Hilton™



# Floor Lamp



## Style 15200.01

**Brand Spec:** A-GR-200

**Height:** 66"

**Base Diameter:** 12"

**Finish:** White Powder Coat

**Shade:** White Linen Louise on Vinyl

**Light Source:** E26 (2), 8W LED

# Headboard Sconce



## Style 15201

**Brand Spec:** A-GR-201

**Height:** 15"

**Width x Depth:** 4" x 7"

**Finish:** Kennebunkport Green Powder Coat

**Shade:** Frosted White Acrylic

**Shade Dimensions:** 3" DIA x 10" H

**Light Source:** E26, 8W LED

# Desk Lamp



## Style 15202

**Brand Spec:** A-GR-202

**Height:** 17"

**Width:** 11"

**Finish:** Waterloo Satin Blue on Resin, Matte Black Powder Coat

**Shade:** White Linen Louise on Vinyl

**Shade Dimensions:** 11" DIA x 7" H

**Light Source:** E26 (2), 8W LED

# Large Linear Light at Guest Bath



## Style 15203.01

**Brand Spec:** A-GR-203

**Height:** 4.125"

**Width x Depth:** 36" x 4"

**Finish:** Matte Black Powder Coat, Frosted White Acrylic

**Shade Dimensions:** 36" W X 2.125" DIA

**Light Source:** LED Array, 30W, Integrated, 3000K

# Small Linear Light at Guest Bath



## Style 15204

**Brand Spec:** A-GR-204

**Height:** 4.25"

**Width x Depth:** 28" x 4"

**Finish:** Matte Black Powder Coat, Frosted White Acrylic

**Shade Dimensions:** 28" W x 2.125" DIA

**Light Source:** LED Array, 30W, Integrated, 3000K

# Wall Sconce at Guest Bath



## Style 15204.01

**Brand Spec:** A-GR-205

**Height:** 28"

**Width x Depth:** 4.25" x 4"

**Finish:** Matte Black Powder Coat, Frosted White Acrylic

**Shade Dimensions:** 28" H x 2.125" DIA

**Light Source:** LED Array, 18W, Integrated, 3000K

# Ceiling Fixture at Guest Bath



## Style 15205

**Brand Spec:** A-GR-206

**Height:** 4.25"

**Diameter:** 15"

**Finish:** Matte Black Powder Coat

**Shade:** Frosted White Acrylic

**Light Source:** E26 (2), 8W LED

# Ceiling Fixture at Entry, Corridor, and Hospitality Suites



## **Style 15206**

**Brand Spec:** A-GR-207/A-PA-206

**Height:** 4.25"

**Diameter:** 15"

**Finish:** RAL 9003 Signal White Powder Coat

**Shade:** Frosted White Acrylic

**Light Source:** E26 (2), 8W LED

# Table Lamp at Public Area



## Style 15207

**Brand Spec:** A-PA-200

**Height:** 15" H

**Diameter:** 9.75"

**Finish:** Powder Coat to match RAL 1003 Signal Yellow

**Shade:** Frosted White Acrylic Inner Diffuser Cup

**Light Source:** E26, 5W LED

# Focal Pendant A at Public Area



## Style 15208

**Brand Spec:** A-PA-201

**Height:** 40.25"

**Diameter:** 29.5"

**Finish:** RAL 9003 Signal White Powder Coat

RAL 1003 Signal Yellow Powder Coat

**Light Source:** E26 (3), 8W LED

# Focal Pendant B at Public Area



## Style 15209

**Brand Spec:** A-PA-202

**Height:** 39.75"

**Diameter:** 29.5"

**Finish:** RAL 9003 Signal White Powder Coat  
RAL 1003 Signal Yellow Powder Coat

**Light Source:** E26 (3), 8W LED

# Pendant / Dining Table/Coffee



## Style 15210

**Brand Spec:** A-PA-203

**Overall Height:** 60" (adjustable)

**Finish:** Matte Black Powder Coat canopy, Natural Ash Wood accent,  
Reseda Green Powder Coat, RAL 9003 Signal White Powder Coat

**Shade:** 13.75" DIA x 9" H

**Light Source:** E26 (1) 8W LED

# Sconce at Public Area



## **Style 15211**

**Brand Spec:** A-PA-204

**Height:** 4.25"

**Width x Depth:** 4.25" x 3.875"

**Finish:** Red Orange Powder Coat

**Light Source:** G9 (2), 4W LED

# Corridor Wall Sconce



## Style 13738.03

**Brand Spec:** A-PA-205

**Height:** 11.5"

**Width x Depth:** 5.5" x 4" D

**Finish:** Kennebunkport Green Powder Coat

**Shade:** Frosted White Acrylic

**Light Source:** E26 (2), 8W LED

# Focal Pendant at Low Ceiling Lobby Public Area

Image Coming Soon

## Style 15208.02

**Brand Spec:** A-PA-250

**Height:** 30"

**Diameter:** 29.5"

**Finish:** RAL 9003 Signal White Powder Coat

RAL 1003 Signal Yellow Powder Coat

**Light Source:** E26 (3), 8W LED



# REMINGTON

— ESTD 1932 —

**We'd love to hear from you!**

**Email: [design@remingtonlighting.com](mailto:design@remingtonlighting.com)**

**Website: [remingtonlighting.com](http://remingtonlighting.com)**

**Phone: 717-737-7120**

